Technical Datasheet

Date: 11.11.16 Page 1 of 1



DIN EN ISO 13485 certified

		EN ISO certified
Article - No:	04-230-1100	Revision: 1
Remarks	piercable cap	single use only

Specification

Product	Microcentrifuge tube PP, 2ml, attached cap, premium surface, transparent, graduated, with writing area, np pcr ready, max. RCF 20.000g, autoclavable up to 121°C, CE/IVD	
Classification	CE/IVD	
Dimensions	outer diameter: 10,60 mm (+/- 0,2 mm)	
	inner diameter: 9,00 mm (+/- 0,2 mm)	
	height (without cap): 38,80 mm (+/- 0,2 mm)	
Colour	transparent	
Graduation	graduated, with writing area	
Nominal Capacity	2ml	
Material Characteristics	polypropylene (PP), premium surface	
Temperature range	-80°C - 121°C	
Autoclavability	autoclavable up to 121°C	
Centrifugation	max. RCF 20.000g	
Product Characteristics	biologically inert	
	physiologically harmless	
	no heavy metals according to EC/94/62	
Purity Grade	free of PCR inhibitors	
	free of human DNA	
	free of RNase and DNase	
	free of pyrogens	
Shelf - Life	not limited at controlled storage conditions	
Packaging	pcs per inner cs: 250	
	pcs per carton: 2.500	
	pcs per pallet: 75.000	
Minimum order qty.	2.500 pcs	
Storage	in dry condition: 40% - 60% rel. humidity	
	bags and cartons originally closed	
	storage temperature +10°C to maximal +30°C	
	pallets cannot be stacked	
Approved by nerbe plus	quality department	

nerbe plus GmbH Daimlerstraße 3 D-21423 Winsen/Luhe | Germany

www.nerbe-plus.de Handelsregister Lüneburg Tel. +49 - (0)4171-78 49-0 HR.Nr. B 110004 Fax +49 - (0)4171-645 45 USt-IdNr. DE 11681 7171

Deutsche Postbank AG BLZ 200 100 20 Kto. 2891 87204 IBAN DE37200100200289187204 SWIFT/BIC PBNKDEFFXXX

Commerzbank AG BLZ 200 800 00 Kto. 1926 47000

IBAN DE43200800000192647000 SWIFT/BIC DRESDEFF200

Gläubiger IdNr.: DE33ZZZ00000308514



info@nerbe-plus.de